

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	( (interface template gui adaptor schema connector socket handler) near9 ( ((java web\$4 internet) near2 (service application ) ) ASP wsa plug\$5 servlet applet) ) and ((pre-\$6 built-in (code adj build ) (code-build) ) near9 (template gui adaptor schema connector interface api plug socket handler) ) and xml and ("709" "717").clas. and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and (prior adj run\$5) and ( (code adj build ) (code-build) )	US-PGPUB; USPAT	OR	ON	2007/01/08 16:06
S2	0	( (interface template gui adaptor schema connector socket handler) near9 ( ((java web\$4 internet) near2 (service application ) ) ASP wsa plug\$5 servlet applet) ) and ((pre-\$6 built-in (code adj build ) (code-build) ) near9 (template gui adaptor schema connector interface api plug socket handler) ) and xml and ("709" "717").clas. and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ((before prior) adj run\$5) and ( (code adj build ) (code-build) )	US-PGPUB; USPAT	OR	ON	2007/01/08 16:46
S3	0	( (interface template gui adaptor schema connector socket handler) near9 ( ((java web\$4 internet) near2 (service application ) ) ASP wsa plug\$5 servlet applet) ) and ((pre-\$6 built-in (code adj build ) (code-build) ) near9 (template gui adaptor schema connector interface api plug socket handler) ) and xml and ("709" "717").clas. and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ((before prior) adj run\$5) and ( (code adj build ) (code-build) generate\$2 )	US-PGPUB; USPAT	OR	ON	2007/01/08 16:48

## EAST Search History

S4	1	( ( interface template gui adaptor schema connector socket handler) near9 ( ((java web\$4 internet) near2 (service application ) ) ASP wsa plug\$5 servlet applet ) and ((pre-\$6 built-in (code adj build ) (code-build) ) near9 (template gui adaptor schema connector interface api plug socket handler) ) and xml and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5). rlad.) and ((before prior) adj run\$5) and ( (code adj build ) (code-build) generate\$2 )	US-PGPUB; USPAT	OR	ON	2007/01/08 16:52
S5	6	((pre-\$6 built-in (code adj build ) (code-build) ) near9 (template gui adaptor schema connector interface api plug socket handler) ) and xml and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5). rlad.) and ((before prior) adj run\$5) and ( (code adj build ) (code-build) generate\$2 )	US-PGPUB; USPAT	OR	ON	2007/01/09 11:02
S6	6	((pre-\$6 built-in (code adj build ) (code-build) ) near9 (template gui adaptor schema ddl connector interface api plug socket handler) ) and xml and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5). rlad.) and ((before prior) adj (run\$5 instant\$5)) and ( (code adj build ) (code-build) generate\$2 )	US-PGPUB; USPAT	OR	ON	2007/01/09 11:09
S7	40	((pre-\$6 built-in (code adj build ) (code-build) ) near9 (template gui adaptor schema ddl connector interface api plug socket handler) ) and xml and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5). rlad.) and ((before prior) adj4 (run\$5 instant\$5)) and ( (code adj build ) (code-build) generate\$2 )	US-PGPUB; USPAT	OR	ON	2007/01/09 14:10

## EAST Search History

S8	40	((pre-\$6 built-in (code adj build ) (code-build) ) near9 (template gui adaptor schema ddl connector interface api plug socket handler) ) and xml and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ((before prior) adj4 (run\$5 instant\$5)) and ( (code adj build ) (code-build) generate\$2 )	US-PGPUB; USPAT	OR	ON	2007/01/09 14:11
S9	0	((pre-\$6 built-in ((code software product) adj build ) (code-build) ) near9 (template gui adaptor schema ddl connector interface api plug socket handler) ) and xml and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ((before prior) adj4 (run\$5 instant\$5)) and ( ( (code product software) adj build ) (code-build) generate\$2 ) not S8	US-PGPUB; USPAT	OR	ON	2007/01/09 14:20
S10	7	((pre-\$6 built-in ((code software product application method ) adj (generat\$3 build ) ) (code-build) ) near9 (template gui adaptor schema ddl connector interface api plug socket handler) ) and xml and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ((before prior) adj4 (run\$5 instant\$5)) and ( ( (code product software application method) adj (generat\$5 build ) ) (code-build) generate\$2 ) not S8	US-PGPUB; USPAT	OR	ON	2007/01/09 14:27
S11	7	(bind\$3 near9 (URL URI) ) and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ((before prior) adj4 (run\$5 instant\$5)) and ( ( (code product software application method) adj (generat\$5 build ) ) (code-build) generate\$2 )	US-PGPUB; USPAT	OR	ON	2007/01/09 14:29

## EAST Search History

S12	3	(bind\$3 near9 (URL URI schema) ) and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ((before prior) adj4 (run\$5 instant\$5)) and ( ( ( code product software application method) adj (generat\$5 build ) ) (code-build) generate\$2 ) not S11	US-PGPUB; USPAT	OR	ON	2007/01/09 14:32
S13	111	(bind\$3 near9 (URL URI schema) ) and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ( ( ( code product software application method) adj (generat\$5 build ) ) (code-build) generat\$2 ) not (S11 S12)	US-PGPUB; USPAT	OR	ON	2007/01/09 14:40
S14	14	(bind\$3 near9 (URL URI schema) ) and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ( ( ( code product software application method) adj (generat\$5 build ) ) (code-build) generat\$2 ) not (S11 S12) and ( (multiple many several different all) adj3 schema)	US-PGPUB; USPAT	OR	ON	2007/01/09 14:41
S15	14	(bind\$3 near9 (URL URI schema) ) and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ( ( ( code product software application method interface gui message) adj (generat\$5 build ) ) (code-build) generat\$2 ) not (S11 S12) and ( (multiple many several different all) adj3 schema)	US-PGPUB; USPAT	OR	ON	2007/01/09 14:35
S16	14	(bind\$3 near9 (URL URI schema (service adj address ) ) ) and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ( ( ( code product software application method) adj (generat\$5 build ) ) (code-build) generat\$2 ) not (S11 S12) and ( (multiple many several different all) adj3 schema)	US-PGPUB; USPAT	OR	ON	2007/01/09 14:42

## EAST Search History

S17	14	(bind\$3 near9 (URL URI schema (service adj address )) ) and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ( ( ( code product software application method interface endpoint gui gate) adj3 (generat\$5 build ) ) (code-build) generat\$2 ) not (S11 S12) and ( (multiple many several different all) adj3 schema)	US-PGPUB; USPAT	OR	ON	2007/01/09 14:47
S18	14	( (bind\$3 pre-construct\$5 pre-generat\$5) near9 (URL URI schema (service adj address )) ) and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ( ( ( code product software application method interface endpoint gui gate) adj3 (generat\$5 build ) ) (code-build) generat\$2 ) not (S11 S12) and ( (multiple many several different all) adj3 schema)	US-PGPUB; USPAT	OR	ON	2007/01/09 14:49
S19	15	( (bind\$3 pre-construct\$5 pre-generat\$5) near9 (URL URI schema (service adj address )) ) and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ( ( ( code product software application method interface endpoint gui gate) adj3 (generat\$5 build ) ) (code-build) generat\$2 ) not (S11 S12) and ( (multiple many several different all default identified) adj3 schema)	US-PGPUB; USPAT	OR	ON	2007/01/10 11:15
S20	7	(bind\$3 near9 (URL URI ) ) and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ((before prior) adj4 (run\$5 instant\$5)) and ( ( ( code product software application method) adj (generat\$5 build ) ) (code-build) generate\$2 )	US-PGPUB; USPAT	OR	ON	2007/01/10 11:16

## EAST Search History

S21	3	(bind\$3 near9 (URL URI schema) ) and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ((before prior) adj4 (run\$5 instant\$5)) and ( ( ( code product software application method) adj (generat\$5 build ) ) (code-build) generate\$2 ) not S20	US-PGPUB; USPAT	OR	ON	2007/01/10 11:16
S22	54	( (bind\$3 pre-construct\$5 pre-generat\$5 \$5build ) near9 (URL URI schema (service adj address )) ) and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ( ( ( code product software application method interface endpoint gui gate) adj3 (generat\$5 build ) ) (code-build) generat\$2 ) not (S20 S21) and ( (multiple many several different all default identified customi\$5) adj3 schema)	US-PGPUB; USPAT	OR	ON	2007/01/10 11:18
S23	54	( (bind\$3 pre-construct\$5 pre-generat\$5 \$5build ) near9 (URL URI schema (service adj address )) ) and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ( ( ( code product software application method interface endpoint gui gate template proxy) adj3 (generat\$5 build ) ) (code-build) generat\$2 ) not (S20 S21) and ( (multiple many several different all default identified customi\$5) adj3 schema)	US-PGPUB; USPAT	OR	ON	2007/01/10 11:41
S24	15	S23 and ( (bind\$3 ) near9 (URL URI schema (service adj address )) )	US-PGPUB; USPAT	OR	ON	2007/01/10 11:40
S25	141	( (bind\$3 ) near9 (URL URI schema (service adj address )) ) and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.)	US-PGPUB; USPAT	OR	ON	2007/01/10 16:03
S26	1	"6842903".pn.	US-PGPUB; USPAT	OR	ON	2007/01/10 15:54

## EAST Search History

S27	27	( (bind\$3 ) near9 (URL URI schema (service adj address )) ) and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ( (bind\$3 ) near9 ( interface gui ) )	US-PGPUB; USPAT	OR	ON	2007/01/10 16:23
S28	14	( (bind\$3 ) near9 (URL URI schema location parameter (service adj address )) ) and (@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ( (bind\$3 ) near9 ( interface gui ) ) and ( (URL URI) near9 bind\$5)	US-PGPUB; USPAT	OR	ON	2007/01/10 16:36
S29	0	(@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ( (bind\$3 ) near9 ( interface gui template plug\$3 ) ) and ( (URL URI) near9 bind\$5) not (S27 S28)	US-PGPUB; USPAT	OR	ON	2007/01/10 16:37
S30	22	(@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ( (bind\$3 generate build ) near9 ( interface gui template plug\$3 ) ) and ( (URL URI) near9 bind\$5) not (S27 S28)	US-PGPUB; USPAT	OR	ON	2007/01/10 16:41
S31	1	(@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ( (bind\$3 \$3generate \$3build compile cast \$5construct ) near9 ( interface gui template plug\$3 ) ) and ( (URL URI) near9 bind\$5) not (S27 S28 S30)	US-PGPUB; USPAT	OR	ON	2007/01/10 16:43
S32	209	(@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ( (bind\$3 \$3generate \$3build compile cast \$5construct ) near9 ( interface gui template plug\$3 ) ) and ( (URL URI) near9 (bind\$5 \$3generate \$3build compile cast \$5construct ) ) not (S27 S28 S30 S31)	US-PGPUB; USPAT	OR	ON	2007/01/11 10:49

## EAST Search History

S33	35	(@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ( (URL URI) near9 (bind\$5 \$3generate \$3build compile cast \$5construct ) ) not (S27 S28 S30 S31 S32) and ("719" "717").clas.	US-PGPUB; USPAT	OR	ON	2007/01/10 17:14
S34	0	("6842903").URPN.	USPAT	OR	ON	2007/01/11 10:47
S35	23	(@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ( (bind\$3 ) near3 ( parameter context ) ) and ( (URL URI) near9 (parameter context ) )	US-PGPUB; USPAT	OR	ON	2007/01/11 11:26
S36	29	(@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ( (bind\$3 ) near3 ( parameter context attribute ) ) and ( (URL URI) near9 (parameter context attribute ) ) not S35	US-PGPUB; USPAT	OR	ON	2007/01/11 13:48
S37	23	(@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ( (bind\$3 ) near3 ( parameter context ) ) and ( (URL URI) near9 (parameter context ) )	US-PGPUB; USPAT	OR	ON	2007/01/11 13:49
S38	29	(@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ( (bind\$3 ) near3 ( parameter context attribute ) ) and ( (URL URI) near9 (parameter context attribute ) ) not S37	US-PGPUB; USPAT	OR	ON	2007/01/11 13:49
S39	6	(@ad<"20000509" ("2000"\$5 "1999"\$5 "1998"\$5 "1997"\$5 "1996"\$5 "1995"\$5).rlad.) and ( (bind\$3 ) near3 ( parameter context attribute meta\$5 ) ) and ( (URL URI) near9 (parameter context attribute meta\$5 ) ) not (S37 S38)	US-PGPUB; USPAT	OR	ON	2007/01/11 14:24
S40	42	"6560633"	US-PGPUB; USPAT	OR	ON	2007/01/11 14:27